

## PUBLICATIONS

JANOT L, SECHER T, TORRES D, MAILLET I, PFEILSCHIFTER J, QUESNIAUX VF, LANDMANN R, RYFFEL B, **ERARD F**. CD14 Works with Toll-Like Receptor 2 to Contribute to Recognition and Control of *Listeria monocytogenes* Infection.

J Infect Dis. 2008 July 1 .198:

TOGBE D, SCHNYDER-CANDRIAN S, SCHNYDER B, DOZ E, NOULIN N, JANOT L, SECHER T, GASSE P, LIMA C, COELHO FR, VASSEUR V, **ERARD F**, RYFFEL B, COUILLIN I, MOSER R. Toll-like receptor and tumour necrosis factor dependent endotoxin-induced acute lung injury. Int J Exp Pathol. 2007 Dec;88(6):387-91. Review.

ZALEVSKY J, SECHER T, EZHEVSKY SA, JANOT L, STEED PM, O'BRIEN C, EIVAZI A, KUNG J, NGUYEN DH, DOBERSTEIN SK, **ERARD F**, RYFFEL B, SZYMKOWSKI DE. Dominant-negative inhibitors of soluble TNF attenuate experimental arthritis without suppressing innate immunity to infection. J Immunol. 2007 Aug 1;179(3):1872-83.

DOZ E, ROSE S, NIGOU J, GILLERON M, PUZO G, **ERARD F**, RYFFEL B, QUESNIAUX VF. Acylation determines the toll-like receptor (TLR)-dependent positive versus TLR2-, mannose receptor-, and SIGNR1-independent negative regulation of pro-inflammatory cytokines by mycobacterial lipomannan. J Biol Chem. 2007 Sep 7;282(36):26014-25.

JACOBS M, SAMARINA A, GRIVENNIKOV S, BOTHA T, ALLIE N, FREMOND C, TOGBE D, VASSEUR V, ROSE S, **ERARD F**, MONTEIRO A, QUESNIAUX V, RYFFEL B. Reactivation of tuberculosis by tumor necrosis factor neutralization. Eur Cytokine Netw. 2007 Mar;18(1):5-13.

TORRES D, JANOT L, QUESNIAUX VF, GRIVENNIKOV SI, MAILLET I, SEDGWICK JD, RYFFEL B, **ERARD F**. Membrane tumor necrosis factor confers partial protection to listeria infection. Am J Pathol. 2005 Dec;167(6):1677-87.

SCHNYDER-CANDRIAN S, QUESNIAUX VF, DI PADOVA F, MAILLET I, NOULIN N, COUILLIN I, MOSER R, **ERARD F**, VARGAFTIG BB, RYFFEL B, SCHNYDER B. Dual effects of p38 MAPK on TNF-dependent bronchoconstriction and TNF-independent neutrophil recruitment in lipopolysaccharide-induced acute respiratory distress syndrome. J Immunol. 2005 Jul 1;175(1):262-9.

D.M. NICOLLE, X. PICHON, A. BOUCHOT, I. MAILLET, **F. ERARD**, S. AKIRA, B. RYFFEL, V.F. QUESNIAUX. 2004. Chronic pneumonia despite adaptive immune response to *Mycobacterium bovis* BCG in MyD88-deficient mice. Lab Invest.

V. J. QUESNIAUX, C. FREMOND, M. JACOBS, S. PARIDA, D. NICOLLE, V. YEREMEEV, F. BIHL, **F. ERARD**, T. BOTHA, M. DRENNAN, M-N. SOLER, M. LE BERT, B. SCHNYDER AND B. RYFFEL. 2004. Toll-like receptor pathways in the immune responses to mycobacteria. Microbes Infect. 6:946-959.

V. J. QUESNIAUX, D. M. NICOLLE, D. TORRES, L. KREMER, Y. GUERARDEL, J. NIGOU, G. PUZO, **F. ERARD**, AND B. RYFFEL. 2004. Toll-like receptor (TLR)2-dependent-positive and TLR2-independent-negative regulation of proinflammatory cytokines by Mycobacterial lipomannans. J. Immunol. 172: 4425-4434

D. TORRES, M. BARRIER, F. BIHL, V. J. F. QUESNIAUX, I. MAILLET, S. AKIRA, B. RYFFEL, AND **F. ERARD**. 2004. Toll-like receptor 2 is required for optimal control of *Listeria monocytogenes* infection. Infect. Immun. 72:2131-2139.

P. M. LAVOIE, J. THIBODEAU, **F. ERARD**, AND R. P. SEKALY. 1999. Understanding the mechanism of action of bacterial superantigens from a decade of research. Immunol. Rev. 168: 257-269

**F. ERARD**, J. A. GARCIA-SANZ, R. MORIGGL, AND M.-T. WILD. 1999. Presence or absence of TGF- $\beta$  determines IL-4-induced generation of Type 1 or Type 2 CD8 T cell subsets. J. Immunol. 162: 209-214

- A.J. COYLE, C. BERTRAND, S. TSUYUKI, H. PIRCHER, S. WALTI, G. LE GROS, AND **F. ERARD**. 1996. IL-4 differentiates naive CD8+ T cells to a "Th2-like" phenotype: a link between viral infections and bronchial asthma.  
Ann. N.-Y. Acad. Sci. 796: 97-103
- H. TOWBIN, **F.ERARD**, J.VAN OOSTRUM, A. SCHMITZ, AND C. RORDORF. 1996. Neopeptide immuno-assay: An assay for human interleukin 1 $\beta$  based on an antibody induced conformational change.  
J. Immunoassay 17: 353-369
- S. TSUYUKI, C. BERTRAND, **F. ERARD**, A. TRIFILIEFF, J. TSUYUKI, M. WESP, G.P. ANDERSON, AND A.J. COYLE. 1995. Activation of the Fas receptor on lung eosinophils leads to apoptosis and the resolution of eosinophilic inflammation of the airways.  
J. Clin. Invest. 96: 2924-2931
- A.J. COYLE, **F. ERARD**, C. BERTRAND, S. WALTI, H. PIRCHER AND G. LE GROS. 1995. Virus-specific CD8+ cells can switch to interleukin 5 production and induce airway eosinophilia.  
J. Exp. Med. 181: 1229-1233
- F. ERARD**, P.R. DUNBAR, AND G. LE GROS. 1994. The IL4-induced switch of CD8+ T cells to a TH2 phenotype and its possible relationship to the onset of AIDS.  
Research in Immunology 145: 643-646
- F. ERARD**, J.A. GARCIA-SANZ, H. PIRCHER, AND G. LE GROS. 1994. Virus specific CD8 T cells can switch into noncytolytic CD8-CD4- cells which produce TH2 lymphokines and help B cells. In: Cytokines: Basic Principles And Practical Applications, edited by S. Romagnani, G. Del Prete and A.K. Abbas, Ares-Serono Symposia - Series Challenges of Modern Medicine 8, pp 43-48.
- G. LE GROS AND **F. ERARD**. 1994. Noncytotoxic, IL-4, IL-5, IL-10 producing CD8 T cells, their activation and effector functions.  
Current Opinion in Immunology 6: 453-457
- F. ERARD** and G. LE GROS. 1994. "Th2 like" CD8 T cells, their role in protection against infectious diseases.  
Parasitology Today 10: 313-315
- F. ERARD**, M.-T. WILD, J.A. GARCIA-SANZ, AND G. LE GROS. 1993. Switch of CD8 T cells to non-cytolytic CD8-CD4- cells that make TH2 cytokines and help B cells.  
Science 260: 1802-1805
- R. BRAUN, M. FRANCHINI, **F. ERARD**, S. RIHS, I.J.M. DE VRIES, K. BLASER T.T. HANSEL, AND C. WALKER. 1993. Human peripheral blood eosinophils produce and release IL-8 on stimulation with calcium ionophore.  
Eur. J. Immunol. 23: 956-960
- V. BRINKMANN, C. H. HEUSSER, J. BAER, E. KILCHHERR, AND **F. ERARD**. 1992. Interferon- $\alpha$  suppresses the capacity of T cells to help antibody production by human B cells.  
J. Interferon Res. 12: 267-274
- T. GEIGER, C. RORDORF, N. GALAKATOS, B. SELIGMANN, R. HENN, J. LAZDINS, **F. ERARD**, AND K. VOSBECK. 1992. Recombinant human C5a induces transcription but not translation of interleukin 1b mRNA in human monocytes.  
Lymphokine and Cytokine Res. 11: 55-63
- A. DUPUY D'ANGEAC, J. DORNAND, X. EDMONDS-ALT, P. JULLIEN, AND **F. ERARD**. 1991. Transforming growth factor type beta 1 (TGF- $\beta$ 1) down-regulates interleukin-2 production and up-regulates interleukin-2 receptor expression in a thymoma cell line.  
J. Cell Physiol. 147: 460-469

- J. F. HOENIG, C. RORDORF-ADAM, C. SIEGMUND, AND **F. ERARD**. 1991. Measurement of interleukin 1 alpha and 1 beta (IL-1 alpha and IL-1 beta) in human cystic lesion of the jaw. Implications for the pathogenesis of radicular cysts.  
Bull. Group Int. Rech. Sci. Stomatol. et Odontol. 34: 67-72
- C. RORDORF-ADAM, J. LAZDINS, K. WOODS-COOK, E. ALTERI, R. HENN, T. GEIGER, U. FEIGE, H. TOWBINS, AND **F. ERARD**. 1989. An assay for the detection of interleukin-1 synthesis inhibitors: Effects of antirheumatic drugs.  
Drugs Exp. Clin. Res. 15: 355-362
- J. HOENIG, C. RORDORF-ADAM, C. SIEGMUND, W. WIEDEMANN, AND **F. ERARD**. 1989. Increased interleukin-1 beta (IL-1 $\beta$ ) concentration in gingival tissue from periodontitis patients.  
J. Periodont. Res. 24: 362-367
- R. SPOLKI, G. MIESCHER, **F. ERARD**, R. RISSER, H. R. MACDONALD, AND T. W. MAK 1988. Regulation of expression of T cell  $\gamma$ -chain, L3T4 and Ly-2 messages in Abelson/Moloney virus-transformed T cell lines.  
Eur. J. Immunol. 18: 295-300
- H. R. MACDONALD AND **F. ERARD**. 1986. Activation requirements for resting T lymphocytes.  
Current Topics in Microbiol. and Immunol. 126: 187-194
- F. ERARD**, M. NABHOLZ, A. DUPUY-D'ANGEAC, AND H.R. MACDONALD. 1985. Differential requirement for the induction of interleukin 2 responsiveness in L3T4+ and Lyt-2+ T cell subsets.  
J. Exp. Med. 162: 1738-1743
- F. ERARD**, M. NABHOLZ, AND H.R. MACDONALD 1985. Antigen stimulation of cytolytic T lymphocyte precursors: Minimal requirements for growth and acquisition of cytolytic activity.  
Eur. J. Immunol. 15: 798-803
- F. ERARD**, P. CORTHESEY, M. NABHOLZ, AND H.R. MACDONALD. 1985. Induction of cytolytic T lymphocytes by lectin or alloantigen: Lack of requirement for accessory cells or differentiation factors other than interleukin-2.  
In: Cellular and Molecular Biology of Lymphokines, edited by C. Sorg and A. Schimpl, pp 105-110, Academic Press Inc. Orlando FL. U.S.A.
- R. H. ZUBLER, **F. ERARD**, N. HASHIMOTO, J.W. LOWENTHAL, AND H.R. MACDONALD 1985. Interleukin-2 stimulates the proliferation and differentiation of B cells via specific receptors.  
In: Cellular and Molecular Biology of Lymphokines, edited by C. Sorg and A. Schimpl, pp 223-228, Academic Press Inc. Orlando FL. U.S.A.
- R. H. ZUBLER, **F. ERARD**, R. K. LEES, M. VAN LAER, C. MINGARI, L. MORETTA, AND H.R. MACDONALD. 1985. Mutant EL-4 thymoma cells polyclonally activate murine and human B cells via direct cell interaction.  
J. Immunol. 134: 3662-3668
- F. ERARD**, P. CORTHESEY, M. NABHOLZ, J.W. LOWENTHAL, P. ZAECH, G. PLAETINCK, AND H.R. MAC-DONALD. 1985. Interleukin 2 is both necessary and sufficient for the growth and differentiation of lectin-stimulated cytolytic T lymphocyte precursors. J. Immunol. 134: 1644-1652
- R.H. ZUBLER, J.W. LOWENTHAL, **F. ERARD**, N. HASHIMOTO, R. DEVOS, AND H. R. MACDONALD. 1984. Activated B cells express receptors for, and proliferate in response to, pure interleukin 2.  
J. Exp. Med. 160: 1170-1183
- F. ERARD**, P. CORTHESEY, K.A. SMITH, W. FIERS, A. CONZELMANN, AND M. NABHOLZ. 1984. Characterization of soluble factors that induce the cytolytic activity and the expression of T cell growth factor receptors of a T cell hybrid.  
J. Exp. Med. 160: 584-599
- F. ERARD**, A. DEAN, AND A.N. SCHECHTER. 1981. Inhibitor of cell division reversibly modify hemoglobin concentration in human erythroleukemia K562 cells.  
Blood 58: 1236-1239

A. DEAN, **F. ERARD**, A.B. SCHNEIDER, AND A.N. SCHECHTER. 1981 Induction of hemoglobin accumulation in human K562 cells by hemin is reversible.  
Science 212: 459-461

S.-Y. CHENG, G. RAKHIT, **F. ERARD**, J. ROBBINS, AND C. F. CHIGNELL. 1981. A spin label study of the thyroid hormone-binding sites in human plasma thyroxine transport proteins.  
J. Biol. Chem. 256: 831-836

**F. ERARD**, S.-Y. CHENG, AND J. ROBBINS. 1981. Affinity labelling of human serum thyroxine-binding globulin with N-bromoacetyl-L-thyroxine : Identification of the labelled amino acid residues.  
Arch. Biochem. Biophys. 206: 15-20

## ABSTRACT & ORALES COMMUNICATION

- T. CEZARD, A. DUGRAY, **F. ERARD**, A. M. ABINA. 2005 Potential use of KO-like for large scale functional characterization following the induction of specific autoimmune response against the target proteins. In Abstract of the Integrative Post Genomic Meeting (IPG) Lyon FRANCE
- T. CEZARD, A. DUGRAY, **F. ERARD**, A. M. ABINA. 2005 Functional Knock-Out of Secreted Proteins using an induced autoimmune reaction. In Abstract Of the International Mouse Genome Conference (IMGC) Strasbourg FRANCE
- D. TORRES, I. MAILLET, V. J. F. QUESNIAUX, B. RYFFEL, AND **F. ERARD**. 2005 Protective role of membrane TNF in the host resistance to *Listeria monocytogenes* infection. In Abstract of the American Association of Immunologist (AAI) meeting, San Diego U.S.A
- D. TORRES, M. BARRIER, I. MAILLET, V.J.F. QUESNIAUX, F. BIHL, B. RYFFEL AND **F. ERARD**. 2003. Toll-like receptor 2 is implicated for innate host defense to *Listeria monocytogenes*. In Abstract of ENII meeting, Les Embiez, France
- D. TORRES, M. BARRIER, F. BIHL, I. MAILLET, V. J. F. QUESNIAUX, B. RYFFEL AND **F. ERARD**. 2003. Implication du récepteur Toll-like 2 dans la réponse immunitaire innée de l'hôte à *Listeria monocytogenes*. In Abstract du Colloque Cytokine de la SFI, Le Croisic, France.
- F. ERARD**. 2002. L'allergie peut-elle affecter nos mécanismes immunitaires ? Actes du Colloques Biotechnocentre (Orléans-Tours), Seillac, France.
- F. ERARD**, R. MORIGGL, J. A. GARCIA-SANZ, AND M.-T. WILD. 1998. Presence or absence of TGF- $\beta$  determines IL-4-induced generation of Th1 or Th2 type CD8 T cells. In Abstracts of the 12<sup>th</sup> Spring Meeting of the Canadian Society for Immunology, Ste Adele, Quebec, Canada.
- J. A. GARCIA-SANZ, M.-T. WILD, AND **F. ERARD**. 1996. The IL-4 dependent development of CD8- and CD8+ T helper 2 like cells is antagonized by TGF- $\beta$ . In Abstracts of the American Association of Immunology meeting, New Orleans U.S.A.
- F. ERARD**, S. TSUYUKI, C. BERTRAND, J. TSUYUKI, A. TRIFILIEFF, AND A. J. COYLE. 1996. Eosinophils express the Fas receptor: Induction of apoptosis and resolution of eosinophilic inflammation of the airways. In Abstracts of the American Association of Immunology meeting, New Orleans U.S.A.
- H. TOWBIN, **F.ERARD**, J.VAN OOSTRUM, A. SCHMITZ, AND C. RORDORF. 1996. Neopeptide immuno-assay: An assay for human interleukin 1 $\beta$  based on an antibody induced conformational change. *J. Immunoassay* 17: 353-369
- S. TSUYUKI, C. BERTRAND, **F. ERARD**, M. WESP, G.P. ANDERSON, AND A.J. COYLE. 1995. Murine lung eosinophils express Fas receptor: Induction of apoptosis and resolution of eosinophilic inflammation. In Abstract of the European Respiratory Society Congress, Barcelona, Spain. *Eur. Resp. J.* 8: 17s
- F. ERARD**, A.J. COYLE, P. LANE, H. PIRCHER, AND G. LE GROS. 1995. Virus-specific CD8+ cells can switch phenotype to both CD8+ and CD8- subsets that secrete T helper 2 cytokines and show reduced cytotoxicity. Abstracts of European Network of Immunology Institutes Conference on: Physiology and Pathology of the Immune System, Les Embiez, France
- S. TSUYUKI, C. BERTRAND, **F. ERARD**, G.P ANDERSON, AND A.J. COYLE. 1995. Activation of the Fas receptor on murine lung eosinophils leads to apoptosis and resolution of eosinophilic inflammation. "Cytokines and adhesion molecules in lung inflammation". Conference de Institut Pasteur, Paris, France.
- A.J. COYLE, **F. ERARD**, C. BERTRAND, S. WALTJ, H.P. PIRCHER, AND G. LE GROS. 1995. Viral specific CD8+ T cells can switch to secrete IL-5 and induce airway eosinophil infiltration. "Cytokines and adhesion molecules in lung inflammation". Conference de Institut Pasteur, Paris France.

A. J. COYLE, S. TSUYUKI, C. BERTRAND, G.P. ANDERSON, AND **F. ERARD**. 1995. Resolution of lung eosinophilic inflammation by Fas antigen mediated apoptosis. In: Abstract of the ATS International Conference meeting, Seattle, WA. USA. Am. J. Resp. Crit.Care Med. 151: A239.

**F. ERARD**, J.A. GARCIA-SANZ, H. PIRCHER, AND G. LE GROS. 1994. Virus specific CD8 T cells can switch into noncytolytic CD8-CD4<sup>-</sup> cells which produce TH2 lymphokines and help B cells. In: Abstracts of the 12th European Immunology Meeting, Barcelona, Spain.

**F. ERARD**, J.A. GARCIA-SANZ H. PIRCHER, AND G. LE GROS. 1994. Noncytotoxic IL-4, IL-5, IL-10 producing CD8 T cells, their activation and effector functions. In: Abstracts of European Network of Immunology Institutes Conference on: Molecular Bases Of Immunity, Les Embiez, France.

**F. ERARD**, J.A. GARCIA-SANZ H. PIRCHER AND G. LE GROS. 1994. Virus specific CD8 T cells can switch into non-cytolytic CD8-CD4<sup>-</sup> cells which produce TH2 lymphokines and help B cells. In: Abstracts of the 3rd International Conference on Cytokines: Basic Principles And Practical Applications, Florence, Italy

S. YOUSEFI, **F. ERARD**, K. BLASER, AND H.-U. SIMON. 1994. Human peripheral blood eosinophils contain and release preformed interleukin-8. In: Abstracts of the 26th Annual Meeting of the Swiss Societies for Experimental Biology. Experientia 50: A47,

**F. ERARD**, J.A. GARCIA-SANZ H. PIRCHER AND G. LE GROS. 1994. Virus specific CD8 T cells can switch into noncytolytic CD8-CD4<sup>-</sup> cells which produce TH2 lymphokines and help B cells. In: Abstracts of the 1994 meeting of the Swiss Society of Allergy and Immunology, Basel

**F. ERARD**, J.A. GARCIA-SANZ, M.-T WILD, AND G. LE GROS. 1993. Switching of CD8<sup>+</sup> T cells to noncytolytic CD8-CD4<sup>-</sup> cells that make TH2 cytokines and help B cells. In: Abstracts of the 1993 EMBO Cell-Mediated Cytotoxicity Workshop, Neve Ilan, Israel.

**F. ERARD**, M.-T WILD J.A. GARCIA-SANZ, AND G. LE GROS. 1993. CD8<sup>+</sup> T lymphocytes can develop into non-cytolytic CD8-CD4<sup>-</sup> cells which produce IL4, IL5, IL10 and help B cells. In: Abstracts of the 1993 meeting of the Swiss Society of Allergy and Immunology, Geneva.

**F. ERARD**, M.-T- WILD, AND G. LE GROS. 1993. CD8<sup>+</sup> resting T cells can be driven to a non-cytotoxic CD8-CD4<sup>-</sup> phenotype producing TH2 lymphokines. In: Abstract of the Keystone Symposia on Molecular and Cellular Biology, Keystone, CO. U.S.A.

T. T. HANSEL, R. K. BRAUN, S. RIHS, I. J.M. DE VRIES, K. BLASER, **F. ERARD**, A. ROT, I. LINDLEY, P. DUKOR, AND C. WALKER. 1992. Interleukin-8 production by human peripheral blood eosinophils. In: Abstract of the 8th International Congress of Immunology, Budapest, Hungary.

R. K. BRAUN, T. T. HANSEL, I.J.M. DE VRIES, S. RIHS, K. BLASER, **F. ERARD**, AND C. WALKER. 1992. Human peripheral blood eosinophils have the capacity to produce IL-8. In: Abstract of the FASEB Meeting, Anaheim, CA. U.S.A.

T. T. HANSEL, **F. ERARD**, C. RORDORF, R.K. BRAUN, I. J. M. DE VRIES, S. RIHS, K. BLASER, AND C. WALKER. 1992. Human blood eosinophils have the capacity to express IL-1 and IL-8. Abstract of the Collegium Internationale Allergologicum Symposium, May Capri, Italy

A. DUPUY D'ANGEAC, J. DORNAND, X. EDMONDS-ALT, P. JULLIEN J. GARCIA-SANZ, AND **F. ERARD**. 1990. Transforming growth factor type beta 1 downregulates IL-2 production and upregulates IL-2 receptor expression in a thymoma cell line. In: Abstracts of the Joint Meeting of the "Societe Francaise d'Immunologie" and the Nederlandse Vereniging voor Immunologie, Paris, France

A. DUPUY D'ANGEAC, J. DORNAND, X. EDMONDS-ALT, P. JULLIEN, AND **F. ERARD**. 1990. Transforming growth factor type  $\beta$ 1 (TGF $\beta$ 1) acts as activator of interleukin-2 receptor (IL-2R) expression and inhibitor of interleukin-2 (IL-2) production. In: Abstracts of the "Symposium sur les marqueurs de l'inflammation", Lyon, France

C. RORDORF-ADAM, J. LAZDINS, K. WOODS-COOK, E. ALTERI, R. HENN, U. FEIGE, AND **F. ERARD**. 1989. Effects of anti-rheumatic drugs upon interleukin-1 production in human monocytes. In: Abstracts of the 3rd Interscience World Conference on Inflammation, Pisa, Italy

**F. ERARD**, M. NABHOLZ, AND H.R. MACDONALD. 1987. Induction of Lyt-2+ T cells by phorbol ester (PMA) and calcium ionophore results in reduction of Lyt-2 antigen expression and abrogation of cytolytic (CTL) activity. In: Abstract of the 18th International Leucocyte Culture Conference, La Grande Motte, France

M. NABHOLZ, **F. ERARD**, R. SEKALI, J. LOWENTHAL, P. CORTHESEY, M. COMBE, AND H.R. MACDONALD. 1985. Regulation of IL-2 receptor expression by IL-2 and IL-1. Fed. Proceed. 44: 1304

**F. ERARD**, P. CORTHESEY, M.C. COMBE, AND M. NABHOLZ. 1985. Up-regulation by interleukin-2 (IL-2) and interleukin-1 (IL-1) of high and low affinity IL-2 receptors on a T-cell hybridoma. In: Abstracts of the 17th Annual USGEB Meeting, Geneva

R. ZUBLER, J. LOWENTHAL, **F. ERARD**, N. HASHIMOTO, C. MINGARI, L. MORETTA, AND H.R. MACDONALD. 1984. Interleukin 2 is a B cell growth factor: Demonstration of functional IL-2 activity in murine and human B cell proliferation and of IL-2 receptors on murine B cells. In: Abstract of the 6th Europ. Immunol. Meeting, Interlaken

P. CORTHESEY, **F. ERARD**, G. PLAETINCK, AND M. NABHOLZ. 1984. Both IL-1 and IL-2 are required for the induction of cytolytic activity and IL-2 receptors in a rat x mouse T-cell hybrid. In: Abstract of the 6th Europ. Immunol. Meeting, Interlaken

**F. ERARD**, P. CORTHESEY, M. NABHOLZ, AND H.R. MACDONALD 1984. Mitogen and interleukin 2 are sufficient for the activation of cytolytic T lymphocyte precursors. In: Abstract of the 6th Europ. Immunol. Meeting, Interlaken

**F. ERARD**, J.W. LOWENTHAL, C. TOUGNE, H.R. MACDONALD, AND M. NABHOLZ. 1984. Regulation of TCGF-receptor expression in a CTL clone by antigen. In: Abstract of the 6th Europ. Immunol. Meeting, Interlaken

R.H. ZUBLER, J.W. LOWENTHAL, **F. ERARD**, N. HASHIMOTO, R.DEVOS, AND H.R. MACDONALD. 1984. Activated B cells express receptors for, and proliferate to pure interleukin-2., Lymph. Res. 3: 285

**F. ERARD**, P. CORTHESEY, M. NABHOLZ, W. FIERS, AND H.R. MACDONALD. 1984. Interleukin-2 is sufficient for the growth and differentiation of lectin- or antigen-stimulated cytolytic T lymphocyte pre-cursors. Lymph. Res. 3: 241

**F. ERARD**, P. CORTHESEY, K. SMITH, A. CONZELMANN AND M. NABHOLZ. 1983. T cell hybrids which proliferate in the absence of TCGF require both a "Cytotoxicity Inducing Factor" and TCGF to express cytolytic function. J. Cell Biochem. 7B: 60

F.ERARD, P. CORTHESEY, A. CONZELMANN, G.P. CORRADIN, AND M. NABHOLZ. 1983. The induction of cytolytic activity in hybrids between murine cytolytic T-cell lines and a rat T-lymphoma requires two factors. Experient. 39: 662

A. DEAN, **F. ERARD**, AND A.N. SCHECHTER. 1981. Regulation of hemoglobin accumulation in the K562 human leukemic cell line. Clin. Res. 29: 332A

**F. ERARD**, A. DEAN, AND A.N. SCHECHTER. 1981. Control of hemoglobin concentration in the human erythroleukemia K562 cells. Fed. Proceed. 40: 1628

**F. ERARD**, B. SCHWENDIMANN, AND J.-P. BARGETZI. 1978. Bovine brain glutamate dehydrogenase. Exper. 34: 16

## RESEARCH REPORT

**F. ERARD**, M.-T. WILD, M. WESP, AND A. KIEFER. A culture system for the production of homogeneous populations of Th1 and Th2 cells. Res. report no. BS 68/95

J.-L. BOULAY, M.-T. WILD, **F. ERARD**, R. LONGATO, E. KILCHHERR, G. MCMASTER, AND G. BILBE. Isolation, analysis and manipulation of human and mouse Yacs containing the interleukin-13/interleukin-4/interleukin-5 locus. Res. report. no. BS 67/95

**F. ERARD**, R. LONGATO, S. ALKAN AND L. G. HARDMAN. Use of polymerase chain reaction (PCR) for detection and semi-quantification of lymphokine mRNAs. Res. report. no. 9/91

C. RORDORF, J. LAZDINS, K. WOODS-COOK, E. ALTERI, R. HENN, U. FEIGE, AND **F. ERARD**. A screening assay for the detection of inhibitors of IL-1 beta biosynthesis. Res. report no. 10/89

S. ALKAN, S. ABRIGNANI, J. JIRICKA, M. WESP, M.-T WILD, AND **F. ERARD**. Effects of CGS 10787 D (Prinomide) and CGS 12094 in *in vitro* immunological assays. Res. report no. 58/88

C. RORDORF, **F. ERARD**, M.-T. WILD, N. PERRIG, K. EINSLE, D. SERBAN, AND U. FEIGE. Polyclonal and monoclonal antibodies against human interleukin-1. Res.report no. 54/88

**F. ERARD**, J. JIRICKA, AND S. ALKAN. Effect of TCMP-80 (CGP 43 693) on T cell proliferation in vitro. Res. report no. 7/88

C. RORDORF, D. SERBAN, N. PERRIG, M. -T. WILD, AND **F. ERARD**. An enzyme immunoassay for human interleukin-1 beta. Res. report no. 12/87

**F. ERARD**, U. FEIGE, K. MULLER, C. RORDORF, AND A. SCHWEIZER. The biological activity of the recombinant DNA human interleukin-1 $\beta$ . Res. report no. 87/86